

LUMINAX

LIGHTING DIVISION OF YOUNG CORPORATION



Luminax,
a division of Young Corporation,
is a wholesale supplier of lighting products
primarily for new construction including multifamily,
student housing, assisted living, workforce housing
and hospitality sectors.

We source and supply the finest lighting products,
ensuring their quality and durability.

Count on us for timely and consistent supply.
We understand what "being on time" means at every project stage, and
our streamlined processes ensure that orders are delivered according to
your schedule, as precisely as clockwork.

Transparent pricing policies and cost-effective solutions ensure that you
receive valuable products at the most competitive rates in the market.

Our team is well-versed not only in the electrical sphere but also as
experienced project managers who have successfully overseen projects
involving hundreds of units. They possess extensive knowledge about
various construction stages and challenges. Whether you require product
recommendations, technical assistance, or personalized solutions, rest
assured, we are here to help.

We believe in building lasting partnerships with our clients. Your success is
our priority, and we work closely with you to understand your
requirements and deliver tailored solutions that exceed expectations.



LED ROUND FLUSH MOUNT

5", 7", 9", 12" CCT SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 2700K/3000K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

DIMMABLE: YES

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: DIE CAST ALUMINUM WITH FROSTED LENS

SUGGESTED APPLICATIONS

INDOOR ONLY: UNIT KITCHEN, BEDROOM, BATHROOM, LIVING ROOM, HALLWAYS, CLOSETS

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 3024 6005	WHITE	5"	8W	500LM
LX 3024 6007	WHITE	7"	12W	900LM
LX 3024 6009	WHITE	9"	18W	1400LM
LX 3024 6012	WHITE	12"	24W	1800LM
LX 3024 5005	BLACK	5"	8W	500LM
LX 3024 5007	BLACK	7"	12W	900LM
LX 3024 5009	BLACK	9"	18W	1400LM
LX 3024 5012	BLACK	12"	24W	1800LM

LED ROUND LOW PROFILE DISK

5/6" CCT SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 2700K/3000K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

DIMMABLE: YES

VOLTAGE: 120V

LOCATION RATING: WET

CONSTRUCTION: PLASTIC

SUGGESTED APPLICATIONS

INDOOR/OUTDOOR: UNIT KITCHEN, BEDROOM,
BATHROOM, LIVING ROOM, HALLWAYS, CLOSETS

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 3024 6106	WHITE	5/6"	15W	1100LM
LX 3024 1106	BRUSHED NICKEL	5/6"	15W	1100LM
LX 3024 5106	BLACK	5/6"	15W	1100LM

LED SLIM ROUND CANLESS DOWNLIGHT

3", 6", 12" CCT SELECTABLE – IC RATED



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 2700K/3000K/3500K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 90

DIMMABLE: YES

VOLTAGE: 120V

LOCATION RATING: WET

CONSTRUCTION: DIE CAST ALUMINUM WITH FROSTED LENS


SUGGESTED APPLICATIONS

INDOOR/OUTDOOR: UNIT KITCHEN, BEDROOM, BATHROOM, LIVING ROOM, HALLWAYS, CLOSETS

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 3024 6203	WHITE	3"	6W	420LM
LX 3024 6206	WHITE	6"	15W	1100LM
LX 3024 6212	WHITE	12"	24W	1950LM

LED SLIM SQUARE CANLESS DOWNLIGHT

3", 6", 12" CCT SELECTABLE – IC RATED



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 2700K/3000K/3500k/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 90

DIMMABLE: YES

VOLTAGE: 120V

LOCATION RATING: WET

CONSTRUCTION: DIE CAST ALUMINUM WITH FROSTED LENS

SUGGESTED APPLICATIONS

INDOOR/OUTDOOR: UNIT KITCHEN, BEDROOM,
BATHROOM, LIVING ROOM, HALLWAYS, CLOSETS

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 3024 6303	WHITE	3"	6W	420LM
LX 3024 6306	WHITE	6"	15W	1050LM
LX 3024 6312	WHITE	12"	24W	1900LM

LED RECESSED DOWNLIGHT

4", 6", 8", 12" CCT & WATTAGE SELECTABLE – IC RATED



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 2700K/3000K/3500K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 90

DIMMABLE: YES

VOLTAGE: 120V

LOCATION RATING: WET

CONSTRUCTION: DIE CAST ALUMINUM WITH FROSTED LENS

CANLESS

SUGGESTED APPLICATIONS

INDOOR/OUTDOOR: KITCHEN, BEDROOM, BATHROOM, LIVING ROOM, HALLWAYS, CLOSETS

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 3024 6404	WHITE	4"	7W/ 10W/ 13W	600LM/ 850LM/ 1050LLM
LX 3024 6406	WHITE	6"	10W/ 15W/ 22W	800LM/ 1200LM/ 1750LM
LX 3024 6408	WHITE	8"	12W/ 20W/ 30W	1000LM/ 1700 LM/ 2400 LM
LX 3024 6410	WHITE	10"	20W/ 30W/ 40W	1700LM/ 2300LM/ 3000 LM

LED MINI RECESSED DOWNLIGHT

2" CCT & WATTAGE SELECTABLE – IC RATED



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 2700K/3000K/3500k/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 90

DIMMABLE: YES

VOLTAGE: 120V

LOCATION RATING: WET

CONSTRUCTION: DIE CAST ALUMINUM WITH CLEAR


SUGGESTED APPLICATIONS

INDOOR/OUTDOOR: UNIT KITCHEN, BEDROOM, BATHROOM, LIVING ROOM, HALLWAYS, CLOSETS

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 3024 6402	WHITE	2"	7W	450LM
LX 3024 5402	BLACK	2"	7W	450LM
LX 3024 6502	WHITE	2"	7W	450LM
LX 3024 5502	BLACK	2"	7W	450LM

LED BACK-LIT FLAT PANEL

1X4 | 2X2 | 2X4 CCT & WATTAGE SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3500K/4000K/5000K

KELVIN TEMPERATURE: NEUTRAL / COOL / DAYLIGHT

CRI: 90

DIMMABLE: YES

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: PLASTIC & STEEL

SUGGESTED APPLICATIONS

INDOOR ONLY: HALLWAYS / CLUB HOUSE / LOBBIES /

LAUNDRY ROOM / UNIT KITCHEN/ ELEVATOR/ OFFICE/ GYM

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 9114 6020	WHITE	1X4	20W / 30W / 40W	125LM/W = 2500 / 3750 / 5000
LX 9122 6020	WHITE	2X2	20W / 30W / 40W	125LM/W = 2500 / 3750 / 5000
LX 9124 6030	WHITE	2X4	30W / 40W / 50W	125LM/W = 3750 / 5000 / 6250

LED UNDER CABINET SLIM LIGHT BAR

SOLDER-FREE CCT SELECTABLE



GENERAL SPECIFICATIONS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM / COOL / DAYLIGHT

DIMMABLE: YES

VOLTAGE: DC24V / DC12V

LOCATION RATING: IP20

CONSTRUCTION: PC & ALUMINUM

SUGGESTED APPLICATIONS

INDOOR ONLY: UNDER CABINET / CLOSETS / SHELVES

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 31134	TITANIUM GREY	9' (CUTTABLE)	7.5W/M	337LM/M

ACCESSORIES

TOUCH + DIMMER SWITCH | MOVEMENT + DIMMER SWITCH | POWER SUPPLY | CONNECTORS

LED FULL CUTOFF SLIM WALL PACK

TYPE III DISTRIBUTION CCT & WATTAGE SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM / COOL / DAYLIGHT

VOLTAGE: 120-277V

LOCATION RATING: IP66

CONSTRUCTION: PC & ALUMINUM

SUGGESTED APPLICATIONS

OUTDOOR: EXTERIOR BUILDING WALKWAYS AND DOORWAYS

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 1107 5030	BRONZE	7.72"x3.78"x7.32"	30W	4200LM
LX 1107 5040	BRONZE	11.1" x 4.92" x 8.07"	40W	5600LM
LX 1107 5070	BRONZE	11.1" x 4.92" x 8.07"	70W	9800LM

LED FULL/SEMI CUTOFF WALL PACK

SWAPPABLE CCT & WATTAGE SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM / COOL / DAYLIGHT

VOLTAGE: 120-277V

LOCATION RATING: IP66

CONSTRUCTION: PC & ALUMINUM

SUGGESTED APPLICATIONS

OUTDOOR: EXTERIOR BUILDING WALKWAYS AND
DOORWAYS

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 1108 5040	BRONZE	12.99"x9.01"x6.26"	40W / 60W / 80W	12800LM @4000K 70RA
LX 1108 5080	BRONZE	14.17"x9.25"x6.26"	80W / 100W / 120W	19200LM @4000K 70RA

LED SLIM PEBBLE WALL PACK

TYPE IV DISTRIBUTION CCT & WATTAGE SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM / COOL / DAYLIGHT

VOLTAGE: 120-277V

LOCATION RATING: IP66

CONSTRUCTION: PC & ALUMINUM

SUGGESTED APPLICATIONS

OUTDOOR: EXTERIOR BUILDING WALKWAYS AND
DOORWAYS

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 1111 5015	BRONZE	11.53" X 11.38" x 3.81"	15W	2100LM @4000K 80RA
LX 1111 5025	BRONZE	11.53" X 11.38" x 3.81"	25W	3500LM @4000K 80RA
LX 1111 5035	BRONZE	11.53" X 11.38" x 3.81"	35W	4900LM @4000K 80RA
LX 1111 5045	BRONZE	11.53" X 11.38" x 3.81"	45W	6300LM @4000K 80RA

LED DUAL HEAD REMOTE EMERGENCY LIGHT



GENERAL SPECIFICATIONS

- RATED HOURS:** 90 MIN
- VOLTAGE:** 3.6-15V
- LOCATION RATING:** INDOOR / OUTDOOR
- CONSTRUCTION:** INJECTION MOLDED, FLAME RETARDENT, HIGH-IMPACT, THERMO PLASTIC

SUGGESTED APPLICATIONS

OUTDOOR: HALLWAYS / CORRIDORS / BREEZEWAY / EXITS / STAIRWELLS

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 1600 6000	GREY	4.53" x 6.22" x 2.24"	2.4W	200LM

LED OVAL DUAL HEAD EMERGENCY LIGHT

DRY OR WET LOCATION



GENERAL SPECIFICATIONS

RATED HOURS: 90 MIN

VOLTAGE: 120/277V

LOCATION RATING: DAMP OR WET

CONSTRUCTION: INJECTION MOLDED, FLAME RETARDENT,
HIGH-IMPACT, THERMO PLASTIC

SUGGESTED APPLICATIONS

OUTDOOR: HALLWAYS / CORRIDORS / BREEZEWAY / EXITS /
STAIRWELLS

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 1601 6000 (DRY LOC.)	WHITE	11.02" x 4.33" x 2.66"	2W	200LM
LX 1601 6001 (WET LOC.)	WHITE	12.28" x 4.18" x 5.22"	2.4W	400LM

LED SQUARE DUAL HEAD EMERGENCY LIGHT

DRY OR WET LOCATION



GENERAL SPECIFICATIONS

RATED HOURS: 90 MIN

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: INJECTION MOLDED, FLAME RETARDENT,
HIGH-IMPACT, THERMO PLASTIC

SUGGESTED APPLICATIONS

OUTDOOR: HALLWAYS / CORRIDORS / BREEZEWAY / EXITS /
STAIRWELLS

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 1602 6000	WHITE	12.11" x 4.49" x 3.86"	2.4W	200LM

LED EXIT SIGN COMBO EMERGENCY LIGHT

SINGLE / BI-COLOR SELECTABLE LETTER COLOR



GENERAL SPECIFICATIONS

RATED HOURS: 90 MIN

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: INJECTION MOLDED, FLAME RETARDENT,
HIGH-IMPACT, THERMO PLASTIC

SUGGESTED APPLICATIONS

OUTDOOR: HALLWAYS / CORRIDORS / BREEZEWAY / EXITS /
STAIRWELLS

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 1700 6000	WHITE/RED	16.45" x 7.24" x 2.04"	2W	200LM
LX 1705 6000	WHITE / GREEN OR RED (SWITCHABLE)	16.45" x 7.24" x 2.04"	2W	200LM

LED SLIM EXIT SIGN

SINGLE/DOUBLE FACE SELECTABLE LETTER COLOR



GENERAL SPECIFICATIONS

RATED HOURS: 90 MIN

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: INJECTION MOLDED, FLAME RETARDENT,
HIGH-IMPACT, THERMO PLASTIC

SUGGESTED APPLICATIONS

OUTDOOR: HALLWAYS / CORRIDORS / BREEZEWAY / EXITS /
STAIRWELLS

ITEM	FINISH	SIZE	WATTAGE	NOTE
LX 1701 6001 / 6002	WHITE/RED	11.61" x 7.16" x 1.81"	0.9W	W/ EMERGENCY BACKUP
LX 1701 6011 / 6012	WHITE / GREEN	11.61" x 7.16" x 1.81"	0.9W	W/ EMERGENCY BACKUP
LX 1701 6111 / 6112	WHITE/RED	11.61" x 7.16" x 1.81"	1.2W	NO EMERGENCY BACKUP
LX 1701 6211 / 6212	WHITE / GREEN	11.61" x 7.16" x 1.81"	1.2W	NO EMERGENCY BACKUP

LED EDGE-LIT EXIT SIGN

SINGLE/DOUBLE FACE CLEAR OR WHITE PANEL



GENERAL SPECIFICATIONS

RATED HOURS: 180 MIN

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: ALUMINUM MOUNTING AND HOUSING,
HIGH GRADE ACRYLIC

SUGGESTED APPLICATIONS

OUTDOOR: HALLWAYS / CORRIDORS / BREEZEWAY / EXITS /
STAIRWELLS

ITEM	FINISH	SIZE	WATTAGE
LX 1702 6001	CLEAR/RED	12.70" x 10.74" x 1.65"	3.5W
LX 1702 6002	WHITE/RED	12.70" x 10.74" x 1.65"	3.5W

LED RECESSED EDGE-LIT EXIT SIGN

SINGLE/DOUBLE FACE ALUMINUM HOUSING



GENERAL SPECIFICATIONS

RATED HOURS: 90 MIN

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: ALUMINUM MOUNTING AND HOUSING, HIGH GRADE ACRYLIC

SUGGESTED APPLICATIONS

OUTDOOR: HALLWAYS / CORRIDORS / BREEZEWAY / EXITS / STAIRWELLS

ITEM	FINISH	SIZE	WATTAGE
LX 1703 6001 / 6002	WHITE/RED	16.02" x 10.61" x 4.41"	3.5W

LED PARKING GARAGE CANOPY

SQUARE CCT & WATTAGE SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM / COOL / DAYLIGHT

VOLTAGE: 100-277V

LOCATION RATING: WET

CONSTRUCTION: PC COVER/LENS & ALUMINUM

SUGGESTED APPLICATIONS

OUTDOOR: GARAGE / PARKING DECK

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 1210 0025	BRONZE	11"	25W / 30W / 40W	≥120lm/w
LX 1210 0040	BRONZE	11"	40W / 60W / 70W	≥120lm/w

ACCESSORIES

MOTION SENSOR | EMERGENCY BATTERY BACK-UP KIT

LED PARKING GARAGE CANOPY

ROUND CCT & WATTAGE SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM / COOL / DAYLIGHT

VOLTAGE: 100-277V

LOCATION RATING: WET

CONSTRUCTION: PC COVER/LENS & ALUMINUM

SUGGESTED APPLICATIONS

OUTDOOR: GARAGE / PARKING DECK

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 1211 0045	BRONZE	11"	45W / 80W / 80W	≥120lm/w
LX 1213 0080	BRONZE	13.6"	80W / 100W / 120W	≥120lm/w

ACCESSORIES

MOTION SENSOR | EMERGENCY BATTERY BACK-UP KIT

LED VAPOR TIGHT

2', 4', 8' CCT & WATTAGE SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM / COOL / DAYLIGHT

VOLTAGE: 120-277V

LOCATION RATING: IP66 WET

CONSTRUCTION: PC HOUSING & STAINLESS-STEEL CLIP

SUGGESTED APPLICATIONS

OUTDOOR: GARAGE / PARKING DECK

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 9520 0020	WHITE	2'	20W	2800LM
LX 9540 0030	WHITE	4'	20W/ 30W/ 40W	UP TO 5200LM
LX 9580 0050	WHITE	8'	40W/ 60W/ 80W	UP TO 10400LM

ACCESSORIES

EMERGENCY BACKUP | MOTION SENSOR

LED STRIP LIGHT

2', 4', 8' CCT & WATTAGE SELECTABLE + LINKABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM / COOL / DAYLIGHT

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: PC COVER/LENS & STEEL

SUGGESTED APPLICATIONS

OUTDOOR: GARAGE / PARKING DECK

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 9340 0420	WHITE	2'	20W	2600LM /
LX 9340 0422	WHITE	4'	20W/ 30W/ 40W	2600LM / 3900LM / 5200LM
LX 9340 0210	WHITE	8'	40W/ 50W/ 60W	5200LM / 6500LM / 7800LM

ACCESSORIES

SUSPENSION KIT | ALIGNMENT BRACKET | EMERGENCY BACKUP | MOTION SENSOR

LED WRAPAROUND LIGHT

2', 4', 8' CCT SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM / COOL / DAYLIGHT

VOLTAGE: 110-277V

LOCATION RATING: DAMP

CONSTRUCTION: PC COVER/LENS & STEEL

SUGGESTED APPLICATIONS

OUTDOOR: GARAGE / PARKING DECK / MECHANICAL ROOMS
/ STAIRWELL

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 4FT-LW102-40W-3CCT (WIDE)	WHITE	4'	40W	5200LM
LX 8FT-LW102-80W-3CCT (WIDE)	WHITE	8'	80W	1040LM
LX-2FT-LW139-18W-3CCT (SLIM)	WHITE	2'	18W	130 LM/W
LX-4FT-LW139-32W-3CCT (SLIM)	WHITE	8'	32W	130 LM/W

ACCESSORIES

SUSPENSION KIT | MOTION SENSOR | EMERGENCY BACKUP

LED SUSPENDED LINEAR

2', 4', 8' CCT SELECTABLE & LINKABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM / COOL / DAYLIGHT

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: PC COVER/LENS & STEEL

SUGGESTED APPLICATIONS

OUTDOOR: GARAGE / PARKING DECK

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 2FT-LD-25W-3CCT	WHITE	2'	25W	3250LM
LX 4FT-LD-50W-3CCT	WHITE	4'	50W	6500LM

ACCESSORIES

L JOINT | T JOINT | X JOINT | CONTINUOUS RUN KIT | WALL MOUNT KIT | SURFACE MOUNT KIT

MIDCENTURY COLLECTION

52" INDOOR CEILING FAN

5-BLADE REMOTE CONTROL



GENERAL SPECIFICATIONS

MOTOR: DC35W

BLADE MATERIAL: ABS

LIGHT KIT: 32W 80CRI

DIMMABLE: YES

SUGGESTED APPLICATIONS

INDOOR: UNIT KITCHEN, BEDROOM, LIVING ROOM, CLUBHOUSE, LOBBIES

ITEM	FINISH	SIZE	WATTAGE	RPM
FS11006P-5-52-GY	CONCRETE GREY + WOOD GRAIN	52"	32W	100-200
FS11006P-5-52-BK	BLACK	52"	32W	100-200

MODERN/MIDCENTURY COLLECTION

52" INDOOR CEILING FAN

3-BLADE REMOTE CONTROL



GENERAL SPECIFICATIONS

MOTOR: DC35W

BLADE MATERIAL: SOLID WOOD

LIGHT KIT: 22W 80CRI

DIMMABLE: YES

SUGGESTED APPLICATIONS

INDOOR: BEDROOM, LIVING ROOM, CLUBHOUSE, LOBBIES

ITEM	FINISH	SIZE	WATTAGE	RPM
FS11012P-3-52-BN	BRUSHED NICKEL + GREY BLADES	52"	22W	100-200
FS11012P-3-52-NA	WHITE + NATURAL BLADES	52"	22W	100-200
FS11012P-3-52-BW	BLACK + BROWN BLADES	52"	22W	100-200

CLASSIC COLLECTION

50" INDOOR CEILING FAN

3-BLADE REMOTE CONTROL



GENERAL SPECIFICATIONS

MOTOR: DC35W

BLADE MATERIAL: ABS

LIGHT KIT: 36W 80CRI

DIMMABLE: YES

SUGGESTED APPLICATIONS

INDOOR: BEDROOM, LIVING ROOM, CLUBHOUSE, LOBBIES

ITEM	FINISH	SIZE	WATTAGE	RPM
FS11021P-3-50-WH	WHITE	50"	36W	100-200

HISTORIC COLLECTION

42"/52" INDOOR CEILING FAN

2/4/5-BLADE REMOTE CONTROL



GENERAL SPECIFICATIONS

MOTOR: DC35W

BLADE MATERIAL: MDF

LIGHT KIT: 22W 80CRI

DIMMABLE: YES

SUGGESTED APPLICATIONS

INDOOR: BEDROOM, LIVING ROOM, CLUBHOUSE, LOBBIES

ITEM	FINISH	SIZE	WATTAGE	RPM
FS11046C-3-42-BK	BLACK + WOOD GRAIN	42"	22W	100-200
FS11046C-3-52-BK	BLACK + WOOD GRAIN	52"	22W	100-200
FS11046C-4-42-BK	BLACK + WOOD GRAIN	42"	22W	100-200
FS11046C-4-52-BK	BLACK + WOOD GRAIN	52"	22W	100-200
FS11046C-5-42-BK	BLACK + WOOD GRAIN	42"	22W	100-200
FS11046C-5-52-BK	BLACK + WOOD GRAIN	52"	22W	100-200

MODERN COLLECTION

72/96/108" INDOOR CEILING FAN

9-BLADE REMOTE CONTROL



GENERAL SPECIFICATIONS

MOTOR: DC38W & DC60W

BLADE MATERIAL: ALUMINUM

LIGHT KIT: NONE

DIMMABLE: YES

SUGGESTED APPLICATIONS

INDOOR: GYM, LARGE PATIO

ITEM	FINISH	SIZE	WATTAGE	RPM
FS11019P-9-72-BK	BLACK	72"	N/A	145
FS11019P-9-96-BK	BLACK	96"	N/A	92
FS11019P-9-108-BK	BLACK	108"	N/A	81

MODERN COLLECTION

LED BAR VANITY/WALL SCONCE

12" CCT SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 80

DIMMABLE: YES

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: IRON & ALUMINUM & ACRYLIC

SUGGESTED APPLICATIONS


INDOOR ONLY: BATHROOM, HALLWAYS, NIGHTSTAND

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 2008 5000	BLACK	4.3" x 3.1" x 12.6"	10W	550LM

MODERN COLLECTION

LED BAR VANITY/WALL SCONCE

15", 23" CCT SELECTABLE & HORIZONTAL/VERTICAL MOUNT



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 80

DIMMABLE: YES

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: IRON & ALUMINUM & ACRYLIC

SUGGESTED APPLICATIONS

INDOOR ONLY: BATHROOM, HALLWAYS, NIGHTSTAND

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 5010 5016	BLACK	15.7" x 3.1" x 4.3"	14W	770LM
LX 5010 5024	BLACK	23.6" x 3.1" x 4.3"	18W	990LM

MODERN COLLECTION

LED OUTLINED BAR VANITY/WALL SCONCE

31" CCT SELECTABLE & HORIZONTAL/VERTICAL MOUNT



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 80

DIMMABLE: YES

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: IRON & ACRYLIC

SUGGESTED APPLICATIONS

INDOOR ONLY: BATHROOM, HALLWAYS

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 5010 5032	BLACK	31.5" x 4.5" x 4.3"	18W	990LM

MODERN COLLECTION

RIGID SHADE VANITY LIGHT

2-LAMP / 3-LAMP / 4-LAMP LED BULBS INCLUDED



GENERAL SPECIFICATIONS

VOLTAGE: 120V

LOCATION RATING: DAMP

CONSTRUCTION: IRON & GLASS

SUGGESTED APPLICATIONS

INDOOR ONLY: BATHROOM

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 5017 5002	WHITE & BLACK	13.8" x 6.9" x 9.6"	USES X2 6W STANDARD E26 BASE A-LAMP 2700K	1400LM
LX 5017 5003	WHITE & BLACK	22" x 6.9" x 9.6"	USES X3 6W STANDARD E26 BASE A-LAMP 2700K	2100LM
LX 5017 5004	WHITE & BLACK	29" x 6.9" x 9.6"	USES X4 6W STANDARD E26 BASE A-LAMP 2700K	2800LM

MODERN COLLECTION
SQUARE WALL SCONCE

1-LAMP LED BULBS INCLUDED



GENERAL SPECIFICATIONS

VOLTAGE: 120V

LOCATION RATING: DAMP

CONSTRUCTION: IRON & GLASS

SUGGESTED APPLICATIONS

INDOOR ONLY: HALLWAYS / CORRIDORS / BREEZEWAY

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 1575 8000	WHITE & BRONZE	9" x 12" x 5-1/8"	USES X1 6W STANDARD E26 BASE A-LAMP 2700K	700LM

MODERN COLLECTION LED LINEAR PENDANT

41" CCT SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 80

DIMMABLE: YES

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: IRON & ALUMINUM & PVC

SUGGESTED APPLICATIONS

INDOOR ONLY: CLUBHOUSE, LOBBIES

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 3139 5042	BLACK	41" x 2.6" x 1.6" - 72"H	30W	2200LM

MODERN COLLECTION

ROUND & CYLINDER PENDANTS

1-LAMP LED BULBS INCLUDED



GENERAL SPECIFICATIONS

VOLTAGE: 120V

LOCATION RATING: DAMP

CONSTRUCTION: IRON & GLASS

SUGGESTED APPLICATIONS

INDOOR ONLY: KITCHEN, BEDROOM, LIVING ROOM, CLUBHOUSE, LOBBIES

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 3132 5000 (SLIM CYLINDER)	BLACK & SMOKE	5" x 16"	USES X1 6W FILAMENT STYLE E26 BASE A-LAMP 2700K	700LM
LX 3132 5001 (WIDE CYLINDER)	BLACK & SMOKE	11" x 5.9" x 14.6"	USES X1 6W FILAMENT STYLE E26 BASE A-LAMP 2700K	700LM
LX 3132 5002 (ROUND)	BLACK & SMOKE	7" x 14"	USES X1 6W FILAMENT STYLE E26 BASE A-LAMP 2700K	700LM

MODERN COLLECTION

LED ROUND LINEN FLUSH MOUNT

15" CCT SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 80

DIMMABLE: YES

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: IRON & ACRYLIC & FABRIC

SUGGESTED APPLICATIONS

INDOOR ONLY: UNIT, BEDROOM, LIVING ROOM,
CLUBHOUSE, LOBBIES

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 3026 5000	MATTE BLACK & LINEN	15.7" x 5.3"	36W	1980LM

MODERN COLLECTION

LED ROUND OUTLINED LINEN FLUSH MOUNT

15" CCT SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 80

DIMMABLE: YES

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: IRON & ACRYLIC & FABRIC

SUGGESTED APPLICATIONS

INDOOR ONLY: UNIT, BEDROOM, LIVING ROOM,
CLUBHOUSE, LOBBIES

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 3022 5000	MATTE BLACK & LINEN	15" x 5"	36W	1980LM

CLASSIC COLLECTION

CYLINDER VANITY/WALL SCONCE

12" LED BULBS INCLUDED



GENERAL SPECIFICATIONS

VOLTAGE: 120V

LOCATION RATING: DAMP

CONSTRUCTION: IRON & GLASS

SUGGESTED APPLICATIONS

INDOOR ONLY: BATHROOM / HALLWAYS / CORRIDORS

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 2007 2000	BRUSHED NICKEL & WHITE	5" x 4" x 12.5"	USES X1 6W STANDARD E26 BASE T-LAMP 2700K	700LM

CLASSIC COLLECTION

LED TAPERED VANITY LIGHTS

2-LAMP / 3-LAMP / 4-LAMP CCT SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 80

DIMMABLE: YES

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: IRON & CLEAR & SAND GLASS

SUGGESTED APPLICATIONS

INDOOR ONLY: BATHROOM

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 5024 3002	CHROME	10.5" x 7" x 7"	12W	660LM
LX 5024 3003	CHROME	20.5" x 7" x 7"	18W	990LM
LX 5024 3004	CHROME	28.4" x 7" x 7.3"	24W	1320LM

CLASSIC COLLECTION LED TAPERED PENDANT

5-LAMP / 6-LAMP CCT SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 80

DIMMABLE: YES

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: IRON & CLEAR & SAND GLASS

SUGGESTED APPLICATIONS

INDOOR ONLY: DINING, LIVING ROOM, CLUBHOUSE, LOBBIES

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 3143 3022	CHROME	22" x 6.7" x 47"	24W	1320LM
LX 3143 3024	CHROME	24.4" x 6.7" x 47"	30W	1650M

CLASSIC COLLECTION LED TAPERED PENDANT

1-LAMP CCT SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 80

DIMMABLE: YES

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: IRON & CLEAR & SAND GLASS

SUGGESTED APPLICATIONS

INDOOR ONLY: KITCHEN ISLAND, CLUBHOUSE, LOBBIES

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 3143 3007	CHROME	7" x 5.7" x 72"	8W	440LM

CLASSIC COLLECTION

LED TAPERED LINEAR PENDANT

5-LAMP CCT SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 80

DIMMABLE: YES

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: IRON & CLEAR & SAND GLASS

SUGGESTED APPLICATIONS

INDOOR ONLY: KITCHEN ISLAND, DINING, CLUBHOUSE, LOBBIES

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 3143 3007	CHROME	7" x 5.7" x 72"	8W	440LM

CLASSIC COLLECTION

SQUARE DOUBLE OUTLINE WALL SCONCE

10"X15" WARM WHITE COLOR TEMPERATURE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 80

DIMMABLE: YES

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: IRON & ACRYLIC

SUGGESTED APPLICATIONS

INDOOR ONLY: HALLWAYS / CORRIDORS / BREEZEWAY

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 1103 2000	WHITE & BRUSHED NICKLE	10.5" x 15"	18W	1050LM

CLASSIC COLLECTION

LED ROUND FLUSH MOUNT

15", 19" CCT SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 80

DIMMABLE: YES

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: IRON & ALUMINUM & ACRYLIC

SUGGESTED APPLICATIONS

INDOOR ONLY: KITCHEN, BEDROOM, LIVING ROOM, HALLWAYS

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 3027 2016	BRUSHED SILVER	15.7" x 3.3"	30W	1650LM
LX 3027 2020	BRUSHED SILVER	19.7" x 3.3"	45W	2475LM

HISTORIC INDUSTRIAL COLLECTION

CYLINDER VANITY/WALL SCONCE

1-LAMP LED BULBS INCLUDED



GENERAL SPECIFICATIONS

VOLTAGE: 120V

LOCATION RATING: DAMP

CONSTRUCTION: IRON & GLASS

SUGGESTED APPLICATIONS

INDOOR ONLY: BATHROOM / HALLWAYS / CORRIDORS

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 2009 5000	BLACK & GOLD	4" x 8" x 4"	USES X1 6W FILAMENT STYLE E26 BASE A-LAMP 2700K	700LM

HISTORIC INDUSTRIAL COLLECTION

LED GOOSENECK VANITY LIGHTS

2-LAMP / 3-LAMP / 4-LAMP CCT SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 80

DIMMABLE: YES

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: IRON & ACRYLIC

SUGGESTED APPLICATIONS

INDOOR ONLY: BATHROOM

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 5023 5002	BLACK & GOLD	12.7" x 7.4" x 7.3"	12W	660LM
LX 5023 5003	BLACK & GOLD	20.6" x 7.4" x 7.3"	18W	990LM
LX 5023 5004	BLACK & GOLD	28.4" x 7.4" x 7.3"	24W	1320LM

HISTORIC INDUSTRIAL COLLECTION

VINTAGE STYLE CHANDELIER

12-LAMP / 14-LAMP LED BULBS INCLUDED



GENERAL SPECIFICATIONS

VOLTAGE: 120V

LOCATION RATING: DAMP

CONSTRUCTION: IRON

SUGGESTED APPLICATIONS

INDOOR ONLY: BATHROOM / HALLWAYS / CORRIDORS

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 3135 5012	BLACK	32.6 x 27.5"	USES X12 4W FILAMENT STYLE CANDELABRA LAMPS 2700K	4200LM
LX 3136 5018	BLACK	39.3" x 27.5"	USES X14 4W FILAMENT STYLE LED CANDELABRA LAMPS 2700K	4900LM

HISTORIC INDUSTRIAL COLLECTION

LED DRUM FLUSH MOUNT

12" CCT SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 80

DIMMABLE: YES

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: IRON & ACRYLIC

SUGGESTED APPLICATIONS

INDOOR ONLY: KITCHEN, BEDROOM, LIVING ROOM, HALLWAYS, CLUBHOUSE, LOBBIES

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 3028 5012	BLACK & BRASS	12" x 4"	24W	1320LM

HISTORIC INDUSTRIAL COLLECTION

LED TAPERED DRUM FLUSH MOUNT

15" CCT SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 80

DIMMABLE: YES

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: IRON & ACRYLIC

SUGGESTED APPLICATIONS

INDOOR ONLY: KITCHEN, BEDROOM, LIVING ROOM, HALLWAYS, CLUBHOUSE, LOBBIES

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 3029 5000	BLACK & BRASS	15.37" x 7.5"	36W	1980LM

HISTORIC INDUSTRIAL COLLECTION

LED TAPERED DRUM PENDANT

11" CCT SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 80

DIMMABLE: YES

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: IRON & ACRYLIC

SUGGESTED APPLICATIONS

INDOOR ONLY: KITCHEN, BEDROOM, LIVING ROOM,
HALLWAYS, CLUBHOUSE, LOBBIES

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 3029 5012	BLACK & BRASS	11.8" x 50"	24W	1320LM

HISTORIC TRADITIONAL COLLECTION

LED TAPERED UP/DOWN WALL SCONCE

15" CCT SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 80

DIMMABLE: YES

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: IRON & GLASS

SUGGESTED APPLICATIONS

INDOOR ONLY: BATHROOM / HALLWAYS / CORRIDORS

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 5019 4000	FROST & BRASS	4.7" x 5" x 15.7".	12W	660LM

HISTORIC TRADITIONAL COLLECTION

LED CYLINDER WALL SCONCE

1-LAMP / 3-LAMP / 4-LAMP CCT SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 80

DIMMABLE: YES

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: IRON & GLASS

SUGGESTED APPLICATIONS

INDOOR ONLY: BATHROOM / (1-LAMP = HALLWAYS / CORRIDORS)

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 5022 4001	FROST & BRASS	4.3" x 5.3" x 7.9"	6W	330LM
LX 5022 4003	FROST & BRASS	19.7" x 5.3" x 7.9"	18W	990LM
LX 5022 4004	FROST & BRASS	27.5" x 5.3" x 7.9"	24W	1320LM

HISTORIC TRADITIONAL COLLECTION

LED CYLINDER PENDANT

5-LAMP / 6-LAMP CCT SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 80

DIMMABLE: YES

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: IRON & GLASS

SUGGESTED APPLICATIONS

INDOOR ONLY: KITCHEN, LIVING ROOM, CLUBHOUSE, LOBBIES

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 3142 4018	BRASS	18.1" x 72"	30W	1650LM
LX 3142 4022	BRASS	22" x 72"	45W	2475LM

HISTORIC TRADITIONAL COLLECTION

FARMHOUSE STYLE CHANDELIER

12-LAMP CCT SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 80

DIMMABLE: YES

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: IRON

SUGGESTED APPLICATIONS

INDOOR ONLY: CLUBHOUSE, LOBBIES

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 3141 9000	GOLD	31.5" x 70.9"	USES X12 4W FILAMENT STYLE CANDELABRA LAMPS 2700K	4200LM

HISTORIC TRADITIONAL COLLECTION LED LOW PROFILE FLUSHMOUNT

13" CCT SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 80

DIMMABLE: YES

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: IRON

SUGGESTED APPLICATIONS

INDOOR ONLY: KITCHEN, BEDROOM, LIVING ROOM,
HALLWAYS, CLUBHOUSE, LOBBIES

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 3032 4000	BRASS	13.8" x 3.7"	24W	1320LM

MIDCENTURY COLLECTION

LED UP/DOWN VANITY/WALL SCONCE

18" CCT SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 80

DIMMABLE: YES

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: IRON

SUGGESTED APPLICATIONS

INDOOR ONLY: BATHROOM / HALLWAYS / CORRIDORS

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 5021 5000	BLACK	5.1" x 18.9" x 7.9"	12W	660LM

MIDCENTURY COLLECTION LED GLOBE VANITY LIGHTS

2-LAMP / 3-LAMP / 4-LAMP CCT SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 80

DIMMABLE: YES

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: IRON

SUGGESTED APPLICATIONS

INDOOR ONLY: BATHROOM

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 5021 5002	BLACK	13.4" x 7.3" x 7.9"	12W	660LM
LX 5021 5003	BLACK	20" x 7.3" x 7.9"	18W	990LM
LX 5021 5004	BLACK	27.6" x 7.3" x 7.9"	24W	1320LM

MIDCENTURY COLLECTION LED ROUND FLUSH MOUNT

15" CCT SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 80

DIMMABLE: YES

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: IRON

SUGGESTED APPLICATIONS

INDOOR ONLY: KITCHEN, BEDROOM, LIVING ROOM,
HALLWAYS, CLUBHOUSE, LOBBIES

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 3030 5016	BLACK	15.7" x 5.9"	24W	1320LM

MIDCENTURY COLLECTION

DOME FLUSH MOUNT

13" LED BULBS INCLUDED



GENERAL SPECIFICATIONS

VOLTAGE: 120V

LOCATION RATING: DAMP

CONSTRUCTION: IRON

SUGGESTED APPLICATIONS

INDOOR ONLY: KITCHEN, BEDROOM, LIVING ROOM, HALLWAYS, CLUBHOUSE, LOBBIES

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 3031 5014	BLACK	13.8"x11.8"	USES X1 8.5W FILAMENT/STANDARD STYLE E26 BASE G40 LAMP 2700K	800LM
LX 3031 6014	WHITE	13.8"x11.8"	USES X1 8.5W FILAMENT/STANDARD STYLE E26 BASE G40 LAMP 2700K	800LM

MIDCENTURY COLLECTION

DRUM PENDANTS

8", 10", 15" LED BULBS INCLUDED



GENERAL SPECIFICATIONS

VOLTAGE: 120V

LOCATION RATING: DAMP

CONSTRUCTION: IRON

SUGGESTED APPLICATIONS

INDOOR ONLY: KITCHEN, BEDROOM, LIVING ROOM, HALLWAYS, CLUBHOUSE, LOBBIES

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 3147 6008	WHITE & BIRCH	8.1"x11"	USES X1 8.5W FILAMENT/STANDARD STYLE E26 BASE G40 LAMP 2700K	800LM
LX 3147 6010	WHITE & BIRCH	10.6"x13.4"	USES X1 8.5W FILAMENT/STANDARD STYLE E26 BASE G40 LAMP 2700K	800LM
LX 3147 6016	WHITE & BIRCH	15.7"x15.3"	USES X1 8.5W FILAMENT/STANDARD STYLE E26 BASE G40 LAMP 2700K	800LM

MIDCENTURY COLLECTION

DRUM PENDANTS

8", 10", 15" LED BULBS INCLUDED



GENERAL SPECIFICATIONS

VOLTAGE: 120V

LOCATION RATING: DAMP

CONSTRUCTION: IRON

SUGGESTED APPLICATIONS

INDOOR ONLY: KITCHEN, BEDROOM, LIVING ROOM, HALLWAYS, CLUBHOUSE, LOBBIES

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 3148 5016	BLACK & BIRCH	8.1"x11"	USES X1 8.5W FILAMENT/STANDARD STYLE E26 BASE G40 LAMP 2700K	800LM
LX 3148 5010	BLACK & BIRCH	10.6"x13.4"	USES X1 8.5W FILAMENT/STANDARD STYLE E26 BASE G40 LAMP 2700K	800LM
LX 3148 5008	BLACK & BIRCH	15.7"x15.3"	USES X1 8.5W FILAMENT/STANDARD STYLE E26 BASE G40 LAMP 2700K	800LM

LUX COLLECTION

LED CYLINDER VANITY/WALL SCONCE

19" CCT SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 80

DIMMABLE: YES

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: BATHROOM / HALLWAYS / CORRIDORS

SUGGESTED APPLICATIONS

INDOOR ONLY: KITCHEN, BEDROOM, LIVING ROOM, HALLWAYS, CLUBHOUSE, LOBBIES

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 3030 5016	BLACK	15.7" x 5.9"	24W	1320LM

LUX COLLECTION

LED UP/DOWN CYLINDER VANITY/WALL SCONCE

19" CCT SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 80

DIMMABLE: YES

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: BATHROOM / HALLWAYS / CORRIDORS

SUGGESTED APPLICATIONS

INDOOR ONLY: KITCHEN, BEDROOM, LIVING ROOM, HALLWAYS, CLUBHOUSE, LOBBIES

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 2011 4000	BRASS	5.1" x 3.9" x 19.7"H	10W	550LM

LUX COLLECTION LED RING PENDANT

19" CCT SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 80

DIMMABLE: YES

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: IRON & SPANISH ALABASTER

SUGGESTED APPLICATIONS

INDOOR ONLY: KITCHEN, LIVING ROOM, CLUBHOUSE,
LOBBIES

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 3144 4000	BRASS	19.7" x 72"	30W	1650LM

LUX COLLECTION

LED MULTI SPHERE PENDANT

36" CCT SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 80

DIMMABLE: YES

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: IRON & SPANISH ALABASTER

SUGGESTED APPLICATIONS

INDOOR ONLY: KITCHEN, LIVING ROOM, CLUBHOUSE, LOBBIES

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 2011 4000	BRASS	5.1" x 3.9" x 19.7"H	10W	550LM

LUX COLLECTION LED DISK PENDANT

11" CCT SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 80

DIMMABLE: YES

VOLTAGE: 120-277V

LOCATION RATING: DAMP

CONSTRUCTION: IRON & SPANISH ALABASTER

SUGGESTED APPLICATIONS

INDOOR ONLY: KITCHEN, LIVING ROOM, CLUBHOUSE, LOBBIES

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 3146 4000	BRASS	11.8" x 48"	24W	1320LM

LUX COLLECTION LED DRUM PENDANT

15" LED BULBS INCLUDED



GENERAL SPECIFICATIONS

VOLTAGE: 120V

LOCATION RATING: DAMP

CONSTRUCTION: IRON

SUGGESTED APPLICATIONS

INDOOR ONLY: KITCHEN, BEDROOM, LIVING ROOM,
HALLWAYS, CLUBHOUSE, LOBBIES

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 3028 4016	BRASS	15.7" x 5.6"	USES X1 6W FILAMENT STYLE E26 BASE A-LAMP 2700K	2100LM

MODERN COLLECTION

LED SQUARE UP/DOWN WALL SCONCE

7", 8", 11" CCT & WATTAGE SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 80

DIMMABLE: YES

VOLTAGE: 120-277V

LOCATION RATING: WET

CONSTRUCTION: ALUMINUM HOUSING+GLASS LENS

SUGGESTED APPLICATIONS

OUTDOOR: BUILDING EXTERIOR

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 1100 5013	BLACK	4.7" x 7.8" x 4"	7W/ 10W/ 13W	700LM/ 1000LM/ 1300LM
LX 1100 5020	BLACK	3.3" x 8.6" x 2.7"	10W/ 15W/ 20W	1000LM/ 1500LM/ 2000LM
LX 1100 5025	BLACK	4.7" x 11.6" x 3.9"	15W/ 20W/ 25W	1500LM/ 2000LM/ 2500LM

MODERN COLLECTION

LED CYLINDER UP/DOWN WALL SCONCE

6", 8" CCT & WATTAGE SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 80

DIMMABLE: YES

VOLTAGE: 120-277V

LOCATION RATING: WET

CONSTRUCTION: ALUMINUM HOUSING+GLASS LENS

SUGGESTED APPLICATIONS


OUTDOOR: BUILDING EXTERIOR / HALLWAYS / CORRIDORS / BREEZEWAY

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 1101 5010	BLACK	3.3" x 6.4" x 3"	6W/ 8W/ 10W	600LM/ 800LM/ 1000LM
LX 1102 5020	BLACK	3.3" x 8.4" x 3"	10W/ 15W/ 20W	1000LM/ 1500LM/ 2000LM

MODERN COLLECTION

LED RECTANGLE UP/DOWN WALL SCONCE

6" CCT SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 30,000 HOURS

CCT SELECTABLE: 2700K/ 3000K/ 3500K/ 4000K/ 6000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 80

DIMMABLE: YES

VOLTAGE: 120-277V

LOCATION RATING: IP65 WET

CONSTRUCTION: IRON

SUGGESTED APPLICATIONS


OUTDOOR: BUILDING EXTERIOR / HALLWAYS / CORRIDORS / BREEZEWAY

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 1108 6000	WHITE	6.3"	6	700LM / 1400LM
LX 1108 5000	BLACK	6.3"	12	700LM / 1400LM

MODERN COLLECTION

LED LINEAR BAR WALL SCONCE

3', 4', 5' SINGLE CCT



GENERAL SPECIFICATIONS

CCT: 3000K

KELVIN TEMPERATURE: WARM

LOCATION RATING: IP54 WET

CONSTRUCTION: ALUMINUM

SUGGESTED APPLICATIONS

OUTDOOR: BUILDING EXTERIOR / HALLWAYS / CORRIDORS / BREEZEWAY

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 1115 5010	BLACK	3'	24W	2160LM
LX 1115 5012	BLACK	4'	30W	3000LM
LX 1115 5015	BLACK	5'	36W	3200LM

MODERN COLLECTION LED CUBE WALL SCONCE

8', 14' CCT & WATTAGE SELECTABLE



GENERAL SPECIFICATIONS

RATED HOURS: 50,000 HOURS

CCT SELECTABLE: 3000K/4000K/5000K

KELVIN TEMPERATURE: WARM-NEUTRAL / COOL / DAYLIGHT

CRI: 80

DIMMABLE: YES

VOLTAGE: 100-277V

LOCATION RATING: IP66 WET

SUGGESTED APPLICATIONS

OUTDOOR: BUILDING EXTERIOR / HALLWAYS / CORRIDORS / BREEZEWAY

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX MWP02-8H	BLACK	8"	12W / 14W / 16W	1742LM
LX MWP02-14H	BLACK	14"	18W / 20W / 22W	2619LM

HISTORIC COLLECTION

LED LANTERN WALL SCONCE

9", 11" LED BULBS INCLUDED



GENERAL SPECIFICATIONS

VOLTAGE: 120V

LOCATION RATING: WET

CONSTRUCTION: IRON

SUGGESTED APPLICATIONS

OUTDOOR: BUILDING EXTERIOR / HALLWAYS / CORRIDORS / BREEZEWAY

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 1110 5000	BLACK	6.3" x 7" x 9.5"	USES X1 8W FILAMENT STYLE E26 BASE G40 LAMP 2700K	800LM
LX 1111 5000	BLACK	6.3" x 7" x 11.9"	USES X1 8W FILAMENT STYLE E26 BASE G40 LAMP 2700K	800LM

HISTORIC COLLECTION

LED LANTERN WALL SCONCE

9", 11" LED BULBS INCLUDED



GENERAL SPECIFICATIONS

VOLTAGE: 120V

LOCATION RATING: WET

CONSTRUCTION: IRON

SUGGESTED APPLICATIONS

OUTDOOR: BUILDING EXTERIOR / HALLWAYS / CORRIDORS / BREEZEWAY

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 1110 5000	BLACK	6.3" x 7" x 9.5"	USES X1 7W FILAMENT STYLE E26 BASE A-LAMP OR ST18 LAMP 2700K	800LM
LX 1111 5000	BLACK	6.3" x 7" x 11.9"	USES X1 4.5W FILAMENT STYLE E26 BASE T8-LAMP 2700K	450LM

HISTORIC COLLECTION

LED LANTERN WALL SCONCE

9", 11" LED BULBS INCLUDED



GENERAL SPECIFICATIONS

VOLTAGE: 120V

LOCATION RATING: WET

CONSTRUCTION: IRON

SUGGESTED APPLICATIONS

OUTDOOR: BUILDING EXTERIOR / HALLWAYS / CORRIDORS / BREEZEWAY

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 1110 5000	BLACK	6.3" x 7" x 9.5"	USES X1 8W FILAMENT STYLE E26 BASE G40 LAMP 2700K	800LM

HISTORIC COLLECTION

VINTAGE STYLE SQUARE FLUSH MOUNT

12 X 12" LED BULBS INCLUDED



GENERAL SPECIFICATIONS

VOLTAGE: 120V

LOCATION RATING: WET

CONSTRUCTION: ALUMINUM & GLASS

SUGGESTED APPLICATIONS

OUTDOOR: PORCH / HALLWAYS / CORRIDORS / BREEZEWAY / BALCONY

ITEM	FINISH	SIZE	WATTAGE	LUMENS
LX 1202 5000	BLACK	12.2" x 12.2" x 6"	USES X2 7W FILAMENT STYLE E26 BASE A-LAMP OR ST18 LAMP 2700K	1600LM



WW.LUMINAX.COM | LUMINAX@YOUNGCORPORATION.COM | (678) 376-5820



GEORGIA
4261 Communications Dr,
Norcross, GA 30093

FLORIDA
7510 American Way,
Groveland, FL 34736

CALIFORNIA
1477 E Cedar St,
Ontario, CA 91761